SatinSheet

DrawSheet

Manual English



Version 3 · 2012

Illustrations

Positioning different sizes of SatinSheet 2Direction on a mattress (A, B, C)



100 x 200 cm



140 x 200 cm



200 x 200 cm

Illustration 1



Illustration 2

Contents

	Heading	Page
1.	General/Symbols/Features	4
2.	Practical handling.	5
3.	Notice/Materials/Cleaning	6
4.	Articles/Combinations	7
5.	Service Information	8

General

Thank you for choosing an Etac product.

To avoid accidents and injury when moving and handling the products, read the manual carefully.

The person described as "the client" in this user manual is the person who is lying or sitting on the product. The carer or carers are the people who manoeuvre the product.

This symbol appears alongside the text in the manual. It draws the reader's attention to points at which there may be a risk to the health and safety of the client or carer.

The products comply with the standards applicable for Class 1 products in the European Council Directive MDD 93/42/EEC on medical devices.
Batch no:

x	x	x	x	x	x	x	x	x	x
Production year		Running number							

At Etac we strive to improve our products all the time and therefore we reserve the right to make changes to products without prior warning. All measurements given on illustrations and similar material are for guidance only and Etac cannot be held liable for errors and defects.

The information given in this manual, including recommendations, combinations and sizing, does not apply to special orders and modifications. If the customer makes adjustments, repairs or combinations not predetermined by Etac, the Etac CE certification and Etac warranty will be voided. If in doubt, please contact Etac.

Warranty: Two-year warranty on material and manufacturing defects, provided that the product is used correctly.

For further information on the Etac transfer range, see www.etac.com.
The product can be scrapped in accordance with national regulations.

Symbols

Washing

Handwash

Wipe off

Tumbledry

Iron

Do not dryclean

Do not bleach

Risk of sliding down

Never leave on the floor

Warning

Read the User Manual

Batch no./Lot no.

Max. weight

The product can be scrapped in accordance with national regulations

Manufacturer

Class 1 - European Council Directive MDD 93/42/EEC on medical devices

Features

The draw sheets should always be used in combination with a SatinSheet product.
Draw sheets models IM4116S and IM4118S are two different draw sheets for use with a glide sheet (SatinSheet). The draw sheet can be used in manual handling from side to side. SatinSheet 4Direction can be used for manual handling from side to side, and up and down in the bed. The SatinSheet range comprises different models of glide sheets with low-friction material and draw sheets. The choice of model or combination is made with reference to the client's functions and needs and the carers' working environment.

Practical handling

Positioning

Position SatinSheet 2Direction with the low-friction material facing upwards in the middle of the bed (Illustrations A, B and C).
Lay the draw sheet over SatinSheet 2Direction. All SatinSheet models have a "this side up" label to help ensure that the correct side is facing upwards in the bed. An information label, describing the correct use of the product, is sewn into all SatinSheet models/products.

Use

If the client needs help to turn, SatinSheet is ideal when used with a draw sheet.
The draw sheet helps the client turn from side to side in the bed.
A SatinSheet 4Direction can be used to help move the client up and down in the bed and from one side to the other (Illustration 1).

Turning is achieved by grasping the sheet at the client's hips and shoulders. To achieve a better ergonomic grip, the carer should grasp as much fabric as possible.
Always work with flat wrists and weight transference.
Turning with SatinSheet can also be done by two carers. The carers work together. One carer helps pull on SatinSheet while the other carer pulls down on the mattress at the level of the client's hips and shoulders, pushing gently.

Turn the client (Illustration 2). To lock the glide system after turning: Fold the excess material from the draw sheet in under the mattress on both sides of the bed.
Before locking the glide system under the mattress, any unevenness/creases should be smoothed to avoid decubitus. The carers pull simultaneously and diagonally from both sides.

Notice

Special features

Always check the product before use and after washing.

Never use a defective product. If the product shows signs of wear-and-tear, it must be scrapped.

Read these instructions carefully.

It is important that carers receive instruction in manual handling. Etac offers advice and training for carers. For further information, contact Etac.

Always use the correct manual handling techniques

Remember to use the client's resources.

To ensure that the client feels safe and that every manual handling is smooth, always plan the manual handling in advance.

If in any doubt - please contact Etac.

There is a risk that the user may slide off. Never leave the user alone on the edge of the bed.

Never leave SatinSheet on the floor.

Never leave the user on the glide system unless the guard rail is up.

Always make a risk assessment, and secure that SatinSheet can be used at the individual client and in combination with other devices that it is safe for the client and caregivers.

Materials

Polycotton: 66% cotton / 34% polyester.
Satin: 100% polyester

Cleaning

The product should be checked regularly, preferably each time it is used, and especially after wash.

Check that there is no damage to seams or fabric.

Never try to repair a product yourself. Never use a defective product.

Washing instructions:
Ironing improves the glide effect.
Do not use fabric softener.

Articles

Article no.	Description	Size (cm)
IM4116S	DrawSheet	W200 x L100
IM4118S	Drawheet	W200 x L140

Combinations

Article no.	Description	Size (cm)
	SatinSheet Pillow case	
IM4117S	Pillow case, with handles, satin on one side	W60 x L60
	SatinSheet2Direction	
IM4107S	SatinSheet, 2Direction (satin B65 x L200 cm) with elastic at corners	W85 x L200
IM4108S	SatinSheet, 2Direction (satin B195 x L105 cm)	W195 x L105
IM4112S	SatinSheet, 2Direction (satin B70/90 x L200 cm), FIT	W90 x L200
IM4113S	SatinSheet, 2Direction (satin B70 x L140 cm)	W200 x L140
IM4114S	SatinSheet, 2Direction (satin B70 x L200 cm)	W200 x L200
IM4119S	SatinSheet, 2Direction (satin B60 x L140 cm)	W200 x L140
IM4122S	SatinSheet, 2Direction (satin B60 x L200 cm) with extra width	W240 x L200
	Set	
IM4200S	SatinSheet IM4113S+IM4118S	Set
IM4201S	SatinSheet IM4108S+IM4116S	Set
IM4202S	SatinSheet IM4114S+IM4118S	Set
IM4203S	SatinSheet IM4112S+IM4115S	Set
IM4204S	SatinSheet IM4115S+IM4113S	Set
IM4205S	SatinSheet IM4119S+IM4118S	Set

Service Information

Pre-use check of Etac manual transfer aids

First inspection:

- Is the packaging intact?
- Read the label on the packaging and check the article no. and product description
- Check that Short Instruction is enclosed – updated User Manual/Instruction for use can be downloaded from www.etac.com or contact your Etac Customer Service or the local distributor.
- Check the label on the product - does it include article no., product description, lot/batch no., cleaning instructions and supplier name?

Periodic Inspection:

- Make sure that your Manual transfer system always is in a perfect condition.
- After wash – always check materials, stitching, handles, buckles.
- If the product shows signs of wear and tear, it must be removed from service immediately.
- Lot no/Batch no:

x	x	x	x	x	x	x	x	x	x
Production year		Running number							

Visual inspection/Check the product:
Ensure that the materials, seams, stitching, handles, buckles are intact/faultless.

Mechanical load or stress/Test handles:
Draw hard in the handles in opposite directions and control the material, seams and stitching.
Test buckles:
Lock the buckle and draw in opposite directions, control the buckle and the stitching.

Stability test:
Try to bend the product verify that it feels firm, stable and solid.

Test low/high friction:
Place the product on a firm surface or a bed, place your hands on the material and test the friction by pushing your hands down into the product.
Low friction – slides effortlessly
High friction – no sliding/moving

Check always:

Manual transfer aids with handles, straps and buckles:

Manual transfer aids for sitting and lying transfer:

Manual transfer aids with high or low friction:

The product can be scrapped in accordance with national regulations

Read the User Manual

If in doubt, please contact Etac Customer Service or local distributor for more information and guidance.
For more information about training and the use of these products, contact the Etac transfer experts – www.etac.com.

CE Class 1 - European Council Directive MDD 93/42/EEC on medical devices

Etac Sverige AB
Box 203, 334 24 Anderstorp, Sweden
Tel +46 371-58 73 00
Fax +46 371-58 73 90
info@etac.se www.etac.se

Etac AB (export)
Box 203, 334 24 Anderstorp, Sweden
Tel +46 371-58 73 30
Fax +46 371-58 73 90
info@etac.se www.etac.com/exp

Etac AS
Pb 249, 1501 Moss, Norway
Tel +47 815 69 469
Fax +47 69 27 09 11
hovedkontor@etac.no www.etac.no

Etac A/S
Egeskovvej 12, 8700 Horsens, Denmark
Tel +45 79 68 58 33
Fax +45 75 68 58 40
info@etac.dk www.etac.dk

Etac GMBH
Bahnhofstraße 131, 45770 Marl, Germany
Tel +49 236 598 710
Fax +49 236 598 6115
info@etac.de www.etac.de

Etac Holland BV
Fluorietweg 16a, 1812RR Alkmaar, The Netherlands
Tel +31 72 547 04 39
Fax +31 72 547 13 05
info.holland@etac.com www.etac.com

etac®
Creating Possibilities